



*Georgia Structural Pest Control Commission
19 Martin Luther King, Jr. Drive
Atlanta, Georgia 30334*

Notice 15-03

To: All Georgia Structural Pest Control Licensees, interested persons and parties
From: Georgia Structural Pest Control Commission
Subject: Termidor HE Registration and Georgia Defined Treatment Rule
Date: May 12, 2015

This notice is to provide notification of the Georgia Registration status and Georgia Structural Pest Control Commission acceptance of Termidor HE (EPA Registration Number 7969-329) for professional use in Georgia for the control and prevention of subterranean termites.

On May 14, 2013, the Georgia Structural Pest Control Commission accepted Termidor HE under the Defined Soil Treatment Rule of the Rules of the Georgia Structural Pest Control Act of 1955. This rule allows the EP/LI use of Termidor HE for the post-construction treatment for the control and prevention of subterranean termites in structural pest control. Termidor HE is currently registered with the Georgia Department of Agriculture for use in State of Georgia.

The Georgia Defined Treatment Rule 620-6-.04 requires the following minimum treatment standards and pest management measures.

- Treatment of grade level slabs and earth filled porches that are contiguous to the exterior structure including garage and carport slabs at intervals of no more than 12 inches and no more than 12 inches from the structure wall.
- Foundation soil trenching to a minimum of 6 inches in depth.
- Take measures to remove existing conditions conducive to infestation. The conditions are limited to wooden contacts of the building that are in contact with the soil and the removal of cellulosic debris underneath the building or other debris that would interfere with the treatment or inspection.
- Provide a minimum clearance of 18 inches between wood and soil in a crawl space.
- Removal of visible and accessible termite tunnels.

Refer to the Rules of the Georgia Structural Pest Control Act, Chapter 620-6 for all of the requirements for minimum termite control treatment standards.

Always read and follow the pesticide label directions.

Notice 15-03 Termidor HE Registration and Georgia Defined Treatment Rule